Volume 33 · Contents

No 1 January 1996

Obituary
Professor Anita Harding *J Newsom-Davis* 1

Review article
Molecular genetics of neurofibromatosis type 1 (NF1) *M H Shen, P S Harper, M Upadhyaya* 2

Original articles
Diagnosis of malignant hyperthermia: a comparison of the in vitro contracture test with the molecular genetic diagnosis in a large pedigree *J M S Healy, K A Quane, K E Keating, M Lehane, J J A Heffron, T V McCarthy* 18
Variation of phenotype in patients with glucocorticoid remediable aldosteronism *L J Gates, A A MacConnachie, R P Lifton, N E Haites, N Benjamin* 25
Diagnostic, predictive, and prenatal testing for facioscapulohumeral muscular dystrophy: diagnostic approach for sporadic and familial cases *E Bakker, M J R Van der Wielen, E Voorhoeve, P F Ippel, G W Padberg, R R Frants, C Wijmenga* 29
Haplotype analysis in prenatal diagnosis and carrier identification of Salla disease *J Schleutker, P Sistonen, P Aula* 36
Translocation between chromosomes 6 and 15 (45,XX,t(6;15)(q25;q11.2)) with further evidence for lack of imprinting of the insulin-like growth factor II/mannose-6-phosphate receptor in humans *E Treacy, C Polychronakos, M Vekemans, P Eydoux, S Blaichman, H Scarpelli, M Ross, Y Xu, V M Der Kaloustian* 42
Identification of a nonsense mutation at the 5' end of the TSC2 gene in a family with a presumptive diagnosis of tuberous sclerosis complex *R Vrtel, S Verhoef, K Bouman, M M Maheshwar, M Nellist, A J van Essen, P L G Bakker, C J Hermans, M Th E Bink-Boelkens, R M van Elburg, M Hoff, D Lindhout, J Sampson, D J J Halley, A M W van den Ouweland* 47
Localisation of a new gene for non-specific mental retardation to Xq22-q26 (MRX35) *X X Gu, R Decorte, P Marynen, J-P Fryns, J-J Cassiman, P Raeymaekers* 52
The representation of ethnic minorities at genetic clinics in Birmingham *A Roberts, R Cullen, S Bundey* 56

Syndrome of the month
X linked hydrocephalus and MASA syndrome *S Kenwrick, M Jouet, D Donnai* 59

Brief papers
FISH studies in a patient with sporadic aniridia and t(7;11)(q31.2;p13) *J A Crolla, I Cross, N Atkey, M Wright, C A Oley* 66
Miller-Dieker syndrome resulting from rearrangement of a familial chromosome 17 inversion detected by fluorescence in situ hybridisation *H M Kingston, D H Ledbetter, P I Tomlin, K L Gaunt* 69
Clinical features of cystic fibrosis patients with rare genotypes *G Castaldo, E Rippa, V Raia, D Salvatore, C Massa, G de Ritis, F Salvatore* 73

Short reports
Evidence for a fourth locus in Usher syndrome type I *S Gerber, D Larget-Piet, J-M Rozet, D Bonneau, M Mathieu, V Der Kaloustian, A Munnich, J Kaplan* 77
Benign adult familial myoclonus epilepsy (BAFME): an autosomal dominant form not linked to the dentatorubral pallidoluysian atrophy (DRPLA) gene *A Kuwano, F Takakubo, Y Morimoto, E Uyama, M Uchino, M Ando, T Yasuda, A Terao, T Hayama, R Kobayashi, I Kondo* 80
Rubinstein-Taybi syndrome with deletions of FISH probe RT1 at 16p13.3: two UK patients *J M McGaughran, L Gaunt, J Dore, F Petrij, H G Dauwerse, D Donnai* 82

Letters to the Editor
Detection of a familial cryptic translocation by fluorescent in situ hybridisation *D P Smith, M Floyd, B Say* 84
Chromosome fragments with alphoid sequences derived from a pseudodicentric Y chromosome *J L Fernández, D Valverde, J Gosálvez, C Piñeiro, S Pereira, V Goyanes* 84
Familial predisposition to both male and female germ cell tumours? *R A Huddart, C Thompson, R Houlston, E J Nicholls, A Horwich* 85

Book reviews 86

Notices 87

Notice to Contributors 88

No 2 February 1996

Review article
Down syndrome in sub-Saharan Africa *A L Christianson* 89

Original articles
Gene deletions in spinal muscular atrophy *N R Rodrigues, N Owen, K Talbot, S Patel, F Muntoni, J Ignatius, V Dubowitz, K E Davies* 93
Main clinical features of the three mapped autosomal recessive limb-girdle muscular dystrophies and estimated proportion of each form in 13 Brazilian families *M R Passos-Bueno, E S Moreira, S K Marie, R Bashir, L Vasquez, D R Love, M Vainzof, P Iughetti, J R Oliveira, E Bakker, T Strachan, K Bushby, M Zatz* 97

Five novel mutations in the L1CAM gene in families with X linked hydrocephalus *S-M Gu, U Orth, A Veske, H Enders, K Klünder, M Schlösser, W Engel, E Schwinger, A Gal* 103
Clinical features in 27 patients with Angelman syndrome resulting from DNA deletion *A Smith, C Wiles, E Haan, J McGill, G Wallace, J Dixon, R Selby, A Colley, R Marks, R J Trent* 107
Association between alcoholism and the dopamine D4 receptor gene *T Muramatsu, S Higuchi, M Murayama, S Matsushita, M Hayashida* 113
The genetics of cornea plana congenita *E Tahvanainen, H Forsius, J Kolehmainen, M Damsten, J Fellman, A de la Chapelle* 116
A genetic register for von Hippel-Lindau disease *I R Maddock, A Moran, E R Maher, M D Teare, A Norman, S J Payne, R Whitehouse, C Dodd, M Lavin, N Hartley, M Super, D G R Evans* 120
Familial psychiatric presentation of Huntington's disease *S Lovestone, S Hodgson, P Sham, A-M Differ, R Levy* 128
The clinical, molecular, and pathological characterisation of a family with two cases of lethal perinatal type 2 Gaucher disease *E Sidransky, N Tayebi, B K Stubblefield, W Eliason, A Klineburgess, G-P Pizzolato, J N Cox, J Porta, A Bottani, C D DeLozier-Blanchet* 132
On the genetics of hypodontia and microdontia: synergism or allelism of major genes in a family with six affected members *S P Lyngstadaas, H Nordbø, T Gedde-Dahl Jr, P S Thrane* 137
A new point mutation in the luteinising hormone receptor gene in familial and sporadic male limited precocious puberty: genotype does not always correlate with phenotype *B A J Evans, D J Bowen, P J Smith, P E Clayton, J W Gregory* 143
A cytogenetic deletion, del(17)(q11.2q21.1), in a patient with sporadic neurofibromatosis type 1 (NF1) associated with dysmorphism and developmental delay *M Upadhyaya, S H Roberts, J Maynard, E Sorour, P W Thompson, M Vaughan, A O M Wilkie, H E Hughes* 148

Syndrome of the month
Nijmegen breakage syndrome *I van der Burgt, K H Chrzanowska, D Smeets, C Weemaes* 153

Brief papers
Familial adenomatous polyposis in a 5 year old child: a clinical, pathological, and molecular genetic study *S Distante, S Nasioulas, G R Somers, D J S Cameron, M A Young, S M Forrest, R J M Gardner* 157
Three prevalent mutations in a patient with phenylalanine hydroxylase deficiency: implications for diagnosis and genetic counselling *P Guldberg, H L Levy, K F Henriksen, F Güttler* 161
Femoral hypoplasia-unusual facies syndrome with bifid hallux, absent tibia, and macrophallus: a report of a Bedouin baby *M A Sabry, D Obenbergerova, R Al-Sawan, Q Al Saleh, S Farah, S A Al-Awadi, T I Farag* 165

Short report
The relationship between $(CAG)_n$ repeat number and age of onset in a family with dentatorubral-pallidoluysian atrophy (DRPLA): diagnostic implications of confirmatory and predictive testing *N T Potter* 168

Abstracts
Medical genetics: advances in brief 171

Letters to the Editor
Monozygotic twins with 22q11 deletion and discordant phenotypes *A Fryer* 173
CTG repeat length in muscle from patients affected with myotonic dystrophy *M Zatz, M R Passos-Bueno, A Cerqueira, M Vainzof* 173
Selection for presymptomatic testing for Huntington's disease: who decides? *J Binedell, J R Soldan, P S Harper* 173
Apolipoprotein E does not affect age at onset in patients with chromosome 14 encoded Alzheimer's disease *The French Alzheimer's Disease Collaborative Study Group* 174

Book reviews 175

Notices 176

No 3 March 1996

Hypothesis
Hypomelanosis of Ito and X;autosome translocations: a unifying hypothesis *E Hatchwell* 177

Original articles
Hypopigmented skin alterations resembling tuberous sclerosis in normal skin *R Norio, T Oksanen, J Rantanen* 184
Ascertainment of familial ovarian cancer in the Aberdeen Genetic Clinic *H Gregory, A Schofield, D de Silva, J Semper, B Milner, L Allan, N Haites* 187
Arachnoid cyst and chronic subdural haematoma in a child with osteogenesis imperfecta type III resulting from the substitution of glycine 1006 by alanine in the pro α2(I) chain of type I procollagen *W G Cole, T P Lam* 193
Familial Wolf-Hirschhorn syndrome resulting from a cryptic translocation: a clinical and molecular study *E Reid, N Morrison, L Barron, E Boyd, A Cooke, D Fielding, J L Tolmie* 197
Neonatal Schwartz-Jampel syndrome: a common autosomal recessive syndrome in the United Arab Emirates *L I Al-Gazali, M Varghese, E Varady, J Al Talabani, J Scorer, D Bakalinova* 203
Genetic referrals of Middle Eastern origin in a western city: inbreeding and disease profile *E Hoodfar, A S Teebi* 212

Brief papers

X inactivation analysis in a female with hypomelanosis of Ito associated with a balanced X;17 translocation: evidence for functional disomy of Xp *E Hatchwell, D Robinson, J A Crolla, A E Cockwell* 216

Frequency of myotonic dystrophy gene carriers in cataract patients *A M Cobo, J J Poza, A Blanco, A López de Munain, A Saénz, M Azpitarte, J Marchessi, J F Martí Massó* 221

Mental retardation, distinct craniofacial dysmorphism, and central nervous system malformation: confirmation of a syndrome *K Devriendt, L D'Espallier, J-P Fryns* 224

Microcephaly, characteristic facies, joint abnormalities, and deficient leucocyte chemotaxis: a further case of the syndrome of Say *et al* *C Perandones, R I Cerretini, R M Vargas Vera, E I Aranda, L G Alba, O H Pivetta* 227

Odontomicronychial ectodermal dysplasia *M Pinheiro, A L Snel, N Freire-Maia* 230

A second independent Tyr168Cys mutation in the tissue inhibitor of metalloproteinases-3 (TIMP3) in Sorsby's fundus dystrophy *U Felbor, H Stöhr, T Amann, U Schönherr, E Apfelstedt-Sylla, B H F Weber* 233

Cytogenetic and clinical characteristics of a case involving complete duplication of Xpter→Xq13 *S M Jalal, R Dahl, L Erickson, D Zimmerman, N Lindor* 237

A new deletion of 18q23 with few typical features of the 18q− syndrome *M Kohonen-Corish, G Strathdee, J Overhauser, T McDonald, V Jammu* 240

Short reports

Presymptomatic diagnosis in Portuguese FAP families using intragenic RFLPs and $(CA)_n$ flanking markers by fluorescence based semiautomated DNA analysis *R Almeida, P Fidalgo, E Ramalho, A Brás, N Leitão, C Mira, J Rueff, C Monteiro* 244

Discordant segregation of Xq28 markers and a mutation in the L1 gene in a family with X linked hydrocephalus *M Jouet, L Strain, D Bonthron, S Kenwrick* 248

Molecular analysis of the arylsulphatase A gene in late infantile metachromatic leucodystrophy patients and healthy subjects from Italy *S Regis, M Filocamo, M Stroppiano, F Corsolini, R Gatti* 251

Molecular scanning of candidate mitochondrial tRNA genes in type 2 (non-insulin dependent) diabetes mellitus *A W Thomas, A Edwards, E J Sherratt, A Majid, J Gagg, J C Alcolado* 253

Clinical heterogeneity in hereditary haemorrhagic telangiectasia: are pulmonary arteriovenous malformations more common in families linked to endoglin? *J N Berg, A E Guttmacher, D A Marchuk, M E M Porteous* 256

Confirmation of linkage of Sjögren-Larsson syndrome to chromosome 17 in families of different ethnic origins *M Lacour, H R Middleton-Price, J I Harper* 258

Abstracts

Medical genetics: advances in brief 260

Letters to the Editor

Monozygotic twins with chromosome 22q11 deletion and discordant phenotype *E Hatchwell* 261

Large inv dup(15) chromosome in two generations *J J Van der Smagt, J C Giltay, J J E M De Nef, G H P R Slabbers* 261

Simple tests for rhodopsin involvement in retinitis pigmentosa *E Tarttelin, M Al-Maghtheh, J Keen, S Bhattacharya, C Inglehearn* 262

Book reviews 263

Notice 264

No 4 April 1996

Editorials

BSHG is born *M Bobrow* 265

Implications for medical genetics of the House of Commons Science and Technology Committee's report on human genetics *R Harris* 266

Original articles

A modifying locus for familial adenomatous polyposis may be present on chromosome 1p35–p36 *I P M Tomlinson, K Neale, I C Talbot, A D Spigelman, C B Williams, R K S Phillips, W F Bodmer* 268

Correlation between the development of extracolonic manifestations in FAP patients and mutations beyond codon 1403 in the APC gene *Z Dobbie, M Spycher, J-L Mary, M Häner, I Guldenschuh, R Hürliman, R Amman, J Roth, H J Müller, R J Scott* 274

Large scale deletions of the 5q13 region are specific to Werdnig-Hoffmann disease *P Burlet, L Bürglen, O Clermont, S Lefebvre, L Viollet, A Munnich, J Melki* 281

The molecular defect underlying canine fucosidosis *B J Skelly, D R Sargan, M E Herrtage, B G Winchester* 284

The dysmorphic human-mouse homology database (DHMHD): an interactive World-Wide Web resource for gene mapping *C D Evans, A G Searle, A A Schinzel, R M Winter* 289

Complementation analysis in patients with the clinical phenotype of a generalised peroxisomal disorder *S J Steinberg, A H Fensom* 295

Holt-Oram syndrome: a clinical genetic study *R A Newbury-Ecob, R Leanage, J A Raeburn, I D Young* 300

Suggestion of a major gene for familial febrile convulsions mapping to 8q13–21 *R H Wallace, S F Berkovic, R A Howell, G R Sutherland, J C Mulley* 308

Parents' responses to predictive genetic testing in their children: report of a single case study *S Michie, V McDonald, M Bobrow, C McKeown, T Marteau* 313

Syndrome of the month
Syndromes with lissencephaly *D T Pilz, O W J Quarrell* 319

Brief papers
A novel splice site mutation in a Becker muscular dystrophy patient *C Bartolo, A C Papp, P J Snyder, M S Sedra, A H M Burghes, C D Hall, J R Mendell, T W Prior* 324
Phenotypic expression in von Hippel-Lindau disease: correlations with germline VHL gene mutations *E R Maher, A R Webster, F M Richards, J S Green, P A Crossey, S J Payne, A T Moore* 328
Familial cluster of ovarian small cell carcinoma: a new mendelian entity? *M Longy, C Toulouse, P Mage, J Chauvergne, M Trojani* 333

Short reports
The angiotensin-I converting enzyme (ACE) gene I/D polymorphism and ACE levels in Pima Indians *C A Foy, L J McCormack, W C Knowler, J H Barrett, A Catto, P J Grant* 336
Mosaicism for the fragile X syndrome full mutation and deletions within the CGG repeat of the FMR1 gene *M Milà, S Castellvi-Bel, A Sánchez, C Lázaro, M Villa, X Estivill* 338
Clinical, enzymatic, and molecular characterisation of a Portuguese family with a chronic form of G_{M2}-gangliosidosis B1 variant *M G Ribeiro, T Sonin, R A Pinto, A Fontes, H Ribeiro, E Pinto, M M Palmeira, M C Sá Miranda* 341
"Pure" partial trisomy 4q25-qter owing to a de novo 4;22 translocation *R V Mikelsaar, I W Lurie, T E Ilus* 344

Conference report
Genetics in primary care. Report on Workshop of EC Concerted Action on Genetics Services in Europe (CAGSE) in association with the Royal College of GP Spring Meeting, Blackpool, UK, 28 April 1995 *R Harris, H Harris* 346

Letters to the Editor
Renal and urological tract malformations caused by a 22q11 deletion *K Devriendt, A Swillen, J-P Fryns, W Proesmans, M Gewillig* 349
Unstable mutation in incontinentia pigmenti? *E Hatchwell* 349

Book reviews 350

Notice 351

Notice to contributors 352

No 5 May 1996

Original articles
Localisation of two candidate genes for mental retardation using a YAC physical map of the Xq21.1–21.2 subbands *L Colleaux, M May, J Belougne, D Lepaslier, C Schwartz, M Fontes* 353
Mutation analysis in 24 French patients with glycogen storage disease type 1a *F Chevalier-Porst, D Bozon, A-M Bonardot, N Bruni, G Mithieux, M Mathieu, I Maire* 358
Direct detection of 4q35 rearrangements implicated in facioscapulohumeral muscular dystrophy (FSHD) *G Deidda, S Cacurri, N Piazzo, L Felicetti* 361
Monosomy of distal 4q does not cause facioscapulohumeral muscular dystrophy *R Tupler, A Berardinelli, L Barbierato, R Frants, J E Hewitt, G Lanzi, P Maraschio, L Tiepolo* 366
Direct molecular diagnosis of CYP21 mutations in congenital adrenal hyperplasia *H-H Lee, H-T Chao, H-T Ng, K-B Choo* 371
FMR1 fully expanded mutation with minimal methylation in a high functioning fragile X male *Z Wang, A K Taylor, J A Bridge* 376
First experiences with genetic counselling based on predictive DNA diagnosis in hereditary glomus tumours (paragangliomas) *J C Oosterwijk, J C Jansen, E M van Schothorst, A W Oosterhof, P Devilee, E Bakker, M W Zoeteweij, A G L van der Mey* 379
A novel deletion at codon 441 on the APC gene associated with ophthalmic lesions (CHRPE) in a South African family *J J Grobbelaar, A Ziskind, G de Jong, C J Joubert Oosthuizen, M J Kotze* 384
Cytogenetic and epidemiological findings in Down syndrome, England and Wales 1989 to 1993 *D Mutton, E Alberman, E B Hook for The National Down Syndrome Cytogenetic Register and The Association of Clinical Cytogeneticists* 387
Breakpoints in α, β, and satellite III DNA sequences of chromosome 9 result in a variety of pericentric inversions *K H Ramesh, R S Verma* 395
Small extra ring chromosome derived from chromosome 10p: clinical report and characterisation by FISH *E Blennow, E Tillberg* 399

Syndrome of the month
Marfan syndrome *J R Gray, S J Davies* 403

Brief papers
Renal-hepatic-pancreatic dysplasia: an autosomal recessive malformation *R Torra, L Alós, J Ramos, X Estivill* 409
Arginine-164-tryptophan substitution in connexin32 associated with X linked dominant Charcot-Marie-Tooth disease *A Oterino, F I Montón, V M Cabrera, F Pinto, A Gonzalez, N R Lavilla* 413

Orocardiodigital syndrome: an oral-facial-digital type II variant associated with atrioventricular canal *M C Digilio, B Marino, A Giannotti, B Dallapiccola* 416
Cerebellar ataxia, areflexia, pes cavus, optic atrophy, and sensorineural hearing loss (CAPOS): a new syndrome *P Nicolaides, R E Appleton, A Fryer* 419
A boy with developmental delay and a maternally inherited deletion in 15q11q13 *M King, C Hardy, B Asenbauer, M Kilpatrick, T Webb* 422
Mirror hands and feet: a further case of Laurin-Sandrow syndrome *E Hatchwell, N Dennis* 426
A new case of fibrochondrogenesis from Spain *M L Martínez-Frías, A García, J Cuevas, J I Rodríguez, M Urioste* 429

Short reports
Linkage analysis of two Canadian families segregating for X linked spondyloepiphyseal dysplasia *L E Bernard, D Chitayat, R Weksberg, M I Van Allen, S Langlois* 432
Analysis of GLRA1 in hereditary and sporadic hyperekplexia: a novel mutation in a family cosegregating for hyperekplexia and spastic paraparesis *F V Elmslie, S M Hutchings, V Spencer, A Curtis, T Covanis, R M Gardiner, M Rees* 435
Acute intermittent porphyria caused by defective splicing of porphobilinogen deaminase RNA: a synonymous codon mutation at −22 bp from the 5′ splice site causes skipping of exon 3 *D H Llewellyn, G A Scobie, A J Urquhart, S D Whatley, A G Roberts, P R Harrison, G H Elder* 437

Letter to the Editor
Different origins of mutations at the Machado-Joseph locus (MJD1) *P Iughetti, M Zatz, M R Passos Bueno, S K Marie* 439

Book review 440

Notices 440

No 6 June 1996

Original articles
Hereditary haemorrhagic telangiectasia with extensive liver involvement is not caused by either HHT1 or HHT2 *M Piantanida, E Buscarini, C Dellavecchia, A Minelli, A Rossi, L Buscarini, C Danesino* 441
Recurrence of neonatal haemochromatosis in half sibs born of unaffected mothers *A Verloes, I K Temple, A-F Hubert, P Hope, S Gould, C Debauche, G Verellen, J-L Deville, L Koulischer, E M Sokal* 444
Mutations within the gene encoding the α1(X) chain of type X collagen (COL10A1) cause metaphyseal chondrodysplasia type Schmid but not several other forms of metaphyseal chondrodysplasia *G A Wallis, B Rash, B Sykes, J Bonaventure, P Maroteaux, B Zabel, R Wynne-Davies, M E Grant, R P Boot-Handford* 450
Human α-N-acetylgalactosaminidase (α-NAGA) deficiency: new mutations and the paradox between genotype and phenotype *J L M Keulemans, A J J Reuser, M A Kroos, R Willemsen, M M P Hermans, A M W van den Ouweland, J G N de Jong, R A Wevers, W O Renier, D Schindler, M J Coll, A Chabas, H Sakuraba, Y Suzuki, O P van Diggelen* 458
Mutation analysis of the 2 kb 5′ to SRY in XY females and XY intersex subjects *C Kwok, C Tyler-Smith, B B Mendonca, I Hughes, G D Berkovitz, P N Goodfellow, J R Hawkins* 465
Unusual molecular findings in autosomal recessive spinal muscular atrophy *G Matthijs, E Schollen, E Legius, K Devriendt, N Goemans, H Kayserili, M Y Apak, J-J Cassiman* 469
Molecular epidemiology of cystic fibrosis mutations and haplotypes in southern Italy evaluated with an improved semiautomated robotic procedure *G Castaldo, E Rippa, G Sebastio, V Raia, P Ercolini, G de Ritis, D Salvatore, F Salvatore* 475
A cross sectional study of renal involvement in tuberous sclerosis *J A Cook, K Oliver, R F Mueller, J Sampson* 480
Family history and perceived vulnerability to some common diseases: a study of young people and their parents *M Ponder, J Lee, J Green, M Richards* 485
A Scottish family with Bazex-Dupré-Christol syndrome: follicular atrophoderma, congenital hypotrichosis, and basal cell carcinoma *A Kidd, L Carson, D W Gregory, D de Silva, J Holmes, J C S Dean, N Haites* 493

Syndrome of the month
Defects in the determination of left-right asymmetry *M Penman Splitt, J Burn, J Goodship* 498

Brief papers
Familial autosomal dominant dopa responsive Parkinson's disease in three living generations showing extreme anticipation and childhood onset *P J Morrison, R B Godwin-Austen, J A Raeburn* 504
Split hand/split foot malformation, deafness, and mental retardation with a complex cytogenetic rearrangement involving 7q21.3 *J Ignatius, S Knuutila, S W Scherer, B Trask, J Kere* 507
Mapping of the gene for cleidocranial dysplasia in the historical Cape Town (Arnold) kindred and evidence for locus homogeneity *R S Ramesar, J Greenberg, R Martin, R Goliath, S Bardien, S Mundlos, P Beighton* 511
Clinical outcomes of adjacent 1 segregation in a familial translocation t(8;18)(p21.3;p11.23) *A E Cockwell, R S James, I E Moore, E Hatchwell, J A Crolla* 515
A new family linked to the RP13 locus for autosomal dominant retinitis pigmentosa on distal 17p *E E Tarttelin, C Plant, J Weissenbach, A C Bird, S S Bhattacharya, C F Inglehearn* 518

Short report
High frequency of two mutations in codon 778 in exon 8 of the ATP7B gene in Taiwanese families with Wilson disease *L-M Chuang, H-P Wu, M-H Jang, T-R Wang, W-C Sue, B J Lin, D W Cox, T-Y Tai* 521

Abstracts
Medical genetics: advances in brief 524

Letters to the Editor
Association between serotonin type 2 receptor (HTR2) and bronchial asthma in humans *H-Q Mao, K Morimoto, T Shirakawa, J M Hopkin, T Hashimoto, J Furuyama, M Kawai, S Sasaki, T Enomoto, K Yoshikawa, T Yoshikawa* 525
Evidence of maternal segregation distortion in the sickle cell and β thalassaemia traits *I D Silva, A S Ramalho* 525
Second cousins with cystic fibrosis and no common ancestor who is a carrier *L P ten Kate* 526

Book reviews 526

Notices 528

No 7 July 1996

Review article
Confined placental mosaicism *D K Kalousek, M Vekemans* 529

Original articles
Increased incidence of cancer in first degree relatives of women with double primary carcinomas of the breast and colon *W D Foulkes, N Bolduc, D Lambert, O Ginsburg, L Olien, D W Yandell, P N Tonin, S A Narod* 534
Attitudes to predictive DNA testing in familial adenomatous polyposis *S Whitelaw, J M Northover, S V Hodgson* 540
Attitudes towards bipolar disorder and predictive genetic testing among patients and providers *L B Smith, B Sapers, V I Reus, N B Freimer* 544
Accurate diagnosis of carriers of deletions and duplications in Duchenne/Becker muscular dystrophy by fluorescent dosage analysis *S C Yau, M Bobrow, C G Mathew, S J Abbs* 550
Report of a critical recombination further narrowing the TSC1 region *K-S Au, J Murrell, A Buckler, S H Blanton, H Northrup* 559
Disclosure of five breakpoints in a complex chromosome rearrangement by microdissection and FISH *J J M Engelen, W J G Loots, J C M Albrechts, P C C Motoh, J-P Fryns, A J H Hamers, J P M Geraedts* 562
Evidence of a long QT founder gene with varying phenotypic expression in South African families *T de Jager, C H Corbett, J C W Badenhorst, P A Brink, V A Corfield* 567
Down syndrome in association with features of the androgen insensitivity syndrome *R M Viner, N Shimura, B D Brown, A J Green, I A Hughes* 574
Holoprosencephaly in the west of Scotland 1975–1994 *M L Whiteford, J L Tolmie* 578

Syndrome of the month
Pallister-Hall syndrome *L G Biesecker, J M Graham Jr* 585

Brief papers
Linkage disequilibrium between four intragenic polymorphic microsatellites of the NF1 gene and its implications for genetic counselling *M C Valero, E Velasco, A Valero, F Moreno, C Hernández-Chico* 590
An autosomal dominant syndrome of renal and anogenital malformations with syndactyly *A J Green, R N Sandford, B C C Davison* 594
Possible autosomal recessive inheritance of progressive hearing loss with stapes fixation *C Thies, M Handrock, K Sperling, A Reis* 597
A case of duplication of 13q32→qter and deletion of 18p11.32→pter with mild phenotype: Patau syndrome and duplications of 13q revisited *N Helali, A K Iafolla, S G Kahler, M B Qumsiyeh* 600
Prenatal diagnosis in Treacher Collins syndrome using combined linkage analysis and ultrasound imaging *S J Edwards, A Fowlie, M P Cust, D T Y Liu, I D Young, M J Dixon* 603
Xeroderma pigmentosum-Cockayne syndrome complex: a further case *B C J Hamel, A Raams, A R Schuitema-Dijkstra, P Simons, I van der Burgt, N G J Jaspers, W J Kleijer* 607
FRAXF in a patient with chromosome 8 duplication *A M Vianna-Morgante, R C Mingroni-Netto, A C C Barbosa, P A Otto, C Rosenberg* 611
Partial duplication of 3q and distal deletion of 11q in a stillbirth with an omphalocele containing the liver, short limbs, and intrauterine growth retardation *C-P Chen, F-F Liu, S-W Jan, C-P Chen, C-C Lan* 615

Short reports
MURCS association: case report and review *C Braun-Quentin, C Billes, B Böwing, D Kotzot* 618
Nephropathy and growth hormone deficiency in a patient with mitochondrial $tRNA^{Leu(UUR)}$ mutation *T Yorifuji, M Kawai, T Momoi, H Sasaki, K Furusho, J Muroi, K Shimizu, Y Takahashi, M Matsumura, M Nambu, T Okuno* 621
An ovine CFTR variant as a putative cystic fibrosis causing mutation *S J Tebbutt, A Harris, D F Hill* 623
A mild phenotype associated with der(9)t(3;9)(p25;p23) *R J McClure, N Telford, S J Newell* 625

Abstracts
Medical genetics: advances in brief 628

Letters to the Editor
Still no evidence for heterogeneity in Best's vitelliform macular dystrophy *C Graff, C Wadelius* 630
Reply *F Mansergh, P Humphries, J Farrar* 630

Book reviews 630

Notice 632

No 8 August 1996

Original articles
German family study on hereditary breast-ovarian cancer *U Hamann, H Becher, T Zimmermann, K Pella, G Bastert, J Chang-Claude* 633
Complex genetic predisposition to cancer in an extended HNPCC family with an ancestral hMLH1 mutation *P Hutter, A Couturier, R J Scott, P Alday, C Delozier-Blanchet, F Cachat, S E Antonarakis, F Joris, M Gaudin, L D'Amato, J-M Buerstedde* 636
Distribution of oculocutaneous albinism in Zimbabwe *P M Lund* 641
Phenotypic variability in male patients carrying the mutant ornithine transcarbamylase (OTC) allele, Arg40His, ranging from a child with an unfavourable prognosis to an asymptomatic older adult *I Matsuda, T Matsuura, A Nishiyori, S Komaki, R Hoshide, T Matsumoto, M Funakoshi, K Kiwaki, F Endo, A Hata, M Shimadzu, M Yoshino* 645
The deletion of six amino acids at the C-terminus of the α1(II) chain causes overmodification of type II and type XI collagen: further evidence for the association between small deletions in COL2A1 and Kniest dysplasia *A Winterpacht, A Superti-Furga, U Schwarze, H Stöss, B Steinmann, J Spranger, B Zabel* 649
PAX genes and human neural tube defects: an amino acid substitution in PAX1 in a patient with spina bifida *F A Hol, M P A Geurds, S Chatkupt, Y Y Shugart, R Balling, C T R M Schrander-Stumpel, W G Johnson, B C J Hamel, E C M Mariman* 655
No founder effect in three novel Alzheimer's disease families with APP 717 Val→Ile mutation *D Campion, A Brice, D Hannequin, F Charbonnier, B Dubois, C Martin, A Michon, C Penet, M Bellis, A Calenda, M Martinez, Y Agid, F Clerget-Darpoux, T Frebourg, and the French Alzheimer's Disease Study Group* 661
Characterisation of four novel fibrillin-1 (FBN1) mutations in Marfan syndrome *L C Adès, E A Haan, A F Colley, R I Richards* 665
Linkage of rheumatoid arthritis to the candidate gene NRAMP1 on 2q35 *M-A Shaw, D Clayton, S E Atkinson, H Williams, N Miller, D Sibthorpe, J M Blackwell* 672
PCR assay confirms diagnosis in syndrome with variably expressed phenotype: mutation detection in Stickler syndrome *N N Ahmad, D M McDonald-McGinn, P Dixon, E H Zackai, W S Tasman* 678
Uneven X inactivation in a female monozygotic twin pair with Fabry disease and discordant expression of a novel mutation in the α-galactosidase A gene *I Redonnet-Vernhet, J K Ploos van Amstel, R P M Jansen, R A Wevers, R Salvayre, T Levade* 682
Investigation of an interleukin-4 promoter polymorphism for associations with asthma and atopy *A J Walley, W O C M Cookson* 689

Syndrome of the month
Rett syndrome *A Clarke* 693

Short reports
X chromosome inactivation pattern in female carriers of X linked hypophosphataemic rickets *K H Ørstavik, R E Ørstavik, J Halse, J Knudtzon* 700
Gorlin syndrome associated with midline nasal dermoid cyst *E K Pivnick, A W Walter, M D Lawrence, M E Smith* 704
Hidrotic ectodermal dysplasia of hair, teeth, and nails: case reports and review *L S Chitty, N Dennis, M Baraitser* 707
Heterogeneity of phenotype in two cystic fibrosis patients homozygous for the CFTR exon 11 mutation G551D *R B Parad* 711
Linkage of a medium sized Scottish autosomal dominant retinitis pigmentosa family to chromosome 7q *Z Mohamed, C Bell, H M Hammer, C A Converse, L Esakowitz, N E Haites* 714
Genotype-phenotype correlation in von-Hippel-Lindau disease: identification of a mutation associated with VHL type 2A *F Chen, L Slife, T Kishida, J Mulvihill, S E Tisherman, B Zbar* 716

Abstracts
Medical genetics: advances in brief 718

Letters to the Editor
Prevalence of 22q11 microdeletion *S Tézenas du Montcel, H Mendizabel, S Aymé, A Levy, N Philip* 719
Should the 3C (craniocerebellocardiac) syndrome be included in the spectrum of velocardiofacial syndrome and DiGeorge sequence *M G Butler, P Mowrey* 719

Book reviews 720

Notices 720

No 9 September 1996

Original articles

BRCA1 mutations in a selected series of breast/ovarian cancer patients *A M Garvin, M Spycher, M Häner, J Torhorst, H Müller, R Herrmann, C Rochlitz, W Weber, R J Scott* 721

Mutation screening of MSH2 and MLH1 mRNA in hereditary non-polyposis colon cancer syndrome *N J Froggatt, C Brassett, D J Koch, D G R Evans, S V Hodgson, B A J Ponder, E R Maher* 726

Attitudes towards cancer predictive testing and transmission of information to the family *C Julian-Reynier, F Eisinger, P Vennin, F Chabal, Y Aurran, C Noguès, Y-J Bignon, M Machelard-Roumagnac, C Maugard-Louboutin, D Serin, B Blanc, P Orsoni, H Sobol* 731

Prediction of psychological functioning one year after the predictive test for Huntington's disease and impact of the test result on reproductive decision making *M Decruyenaere, G Evers-Kiebooms, A Boogaerts, J-J Cassiman, T Cloostermans, K Demyttenaere, R Dom, J-P Fryns, H Van den Berghe* 737

A recurrent mutation, ala391glu, in the transmembrane region of FGFR3 causes Crouzon syndrome and acanthosis nigricans *D Wilkes, P Rutland, L J Pulleyn, W Reardon, C Moss, J P Ellis, R M Winter, S Malcolm* 744

Clinical and genetic heterogeneity of hypochondroplasia *F Rousseau, J Bonaventure, L Legeai-Mallet, H Schmidt, J Weissenbach, P Maroteaux, A Munnich, M Le Merrer* 749

Genetic heterogeneity of Usher syndrome type II in a Dutch population *S Pieke-Dahl, A van Aarem, A Dobin, C W R J Cremers, W J Kimberling* 753

A clinical severity grading scale for Marfan syndrome *J R Gray, S J Davies* 758

Double mutant fibrillin-1 (FBN1) allele in a patient with neonatal Marfan syndrome *M Wang, P Kishnani, M Decker-Phillips, S G Kahler, Y-T Chen, M Godfrey* 760

Rett syndrome, classical and atypical: genealogical support for common origin *H O Åkesson, B Hagberg, J Wahlström* 764

A duplication of distal Xp associated with hypogonadotrophic hypogonadism, hypoplastic external genitalia, mental retardation, and multiple congenital abnormalities *L Telvi, A Ion, J-C Carel, I Desguerre, M Piraud, A M Boutin, J Feingold, G Ponsot, M Fellous, K McElreavey* 767

Jacobsen syndrome: report of a patient with severe eye anomalies, growth hormone deficiency, and hypothyroidism associated with deletion 11(q23q25) and review of 52 cases *E K Pivnick, G V N Velagaleti, R S Wilroy, M E Smith, S R Rose, R E Tipton, A T Tharapel* 772

Syndrome of the month

Multiple endocrine neoplasia type 2B (mucosal neuroma syndrome, Wagenmann-Froboese syndrome) *P J Morrison, N C Nevin* 779

Short reports

Homozygous myotonic dystrophy: clinical and molecular studies of three unrelated cases *L Martorell, I Illa, J Rosell, J Benitez, M J Sedano, M Baiget* 783

Molecular basis of hereditary fructose intolerance in Italy: identification of two novel mutations in the aldolase B gene *R Santamaria, S Tamasi, G Del Piano, G Sebastio, G Andria, C Borrone, G Faldella, P Izzo, F Salvatore* 786

Chromosome 3p23 break with ring formation and translocation of displaced 3p23→pter segment to 6pter *M-Y Yip, H MacKenzie, A Kovacic, A McIntosh* 789

Diagnosis of a complex chromosomal rearrangement using fluorescent in situ hybridisation *R Wallerstein, L Gibas, C E Anderson, L Jackson* 793

A $3\frac{1}{2}$ year old girl with distal trisomy 19q defined by FISH *C James, A Jauch, L Robson, N Watson, A Smith* 795

Non-expression of a common mutation in the 21-hydroxylase gene: implications for prenatal diagnosis and carrier testing *G Rumsby, A F Massoud, C Avey, C G D Brook* 798

Evidence to exclude SOX9 as a candidate gene for XY sex reversal without skeletal malformation *C Kwok, P N Goodfellow, J R Hawkins* 800

First report of CFTR mutations in black cystic fibrosis patients of southern African origin *S Carles, M Desgeorges, A Goldman, R Thiart, C Guittard, C A Kitazos, T J L de Ravel, A T R Westwood, M Claustres, M Ramsay* 802

Abstracts

Medical genetics: advances in brief 805

Letters to the Editor

Psychological aspects of von Recklinghausen neurofibromatosis (NF1) *K N North* 806

The male excess in Down's syndrome *W H James* 806

Predictive genetic testing in children *A C Berry* Reply *S Michie, T Marteau* 806

Book reviews 807

Notice 808

No 10 October 1996

Original articles

The epidemiology of anotia and microtia *J Harris, B Källén, E Robert* 809

Mutation analysis of the BRCA1 gene in 23 families with cases of cancer of the breast, ovary, and multiple other sites *F Durocher, P Tonin, D Shattuck-Eidens, M Skolnick, S A Narod, J Simard* 814

Thirteen cystic fibrosis patients, 12 compound heterozygous and one homozygous for the missense mutation G85E: a pancreatic sufficiency/insufficiency mutation with variable clinical presentation *C Vazquez, G Antiñolo, T Casals, J Dapena, J Elorz, J L Seculi, J Sirvent, R Cabanas, C Soler, X Estivill* 820

X linked spondyloepiphyseal dysplasia: a clinical, radiological, and molecular study of a large kindred *J J MacKenzie, J Fitzpatrick, P Babyn, G B Ferrero, A Ballabio, G Billingsley, D E Bulman, P Strasberg, P N Ray, T Costa* 823
Heterozygosity for Tay-Sachs disease in non-Jewish Americans with ancestry from Ireland or Great Britain *M van Bael, M R Natowicz, J Tomczak, E E Grebner, E M Prence* 829
Locus heterogeneity in progressive familial intrahepatic cholestasis *S S Strautnieks, A F Kagalwalla, M S Tanner, R M Gardiner, R J Thompson* 833
Neonatal screening for hereditary fructose intolerance: frequency of the most common mutant aldolase B allele (A149P) in the British population *C L James, P Rellos, M Ali, A F Heeley, T M Cox* 837
Precise localisation of 3p25 breakpoints in four patients with the 3p− syndrome *T Drumheller, B C McGillivray, D Behrner, P MacLeod, D E McFadden, J Roberson, C Venditti, K Chorney, M Chorney, D I Smith* 842
Familial translocations involving 15q11–q13 can give rise to interstitial deletions causing Prader-Willi or Angelman syndrome *B Horsthemke, A Maat-Kievit, E Sleegers, A van den Ouweland, K Buiting, C Lich, P Mollevanger, G Beverstock, G Gillessen-Kaesbach, G Schwanitz* 848
Two sibs with Wolf-Hirschhorn and DiGeorge deletions resulting from an unbalanced chromosome rearrangement, 45,XX/XY,der(4)t(4;22)(p16.3;q11.2)mat,−22 *K S Reddy, V Sulcova, B Siassi* 852
Adverse psychological events occurring in the first year after predictive testing for Huntington's disease *K Lawson, S Wiggins, T Green, S Adam, M Bloch, M R Hayden, and The Canadian Collaborative Study of Predictive Testing* 856

Syndrome of the month
Zellweger syndrome and associated phenotypes *D R FitzPatrick* 863

Short reports
Conclusive evidence for a distinct congenital stationary night blindness locus in Xp21.1 *A A B Bergen, J B ten Brink, F Riemslag, E J M Schuurman, F Meire, N Tijmes, P T V M de Jong* 869
Isolated autosomal dominant type E brachydactyly: exclusion of linkage to candidate regions 2q37 and 20q13 *M E M Oude Luttikhuis, D K Williams, R C Trembath* 873
Currarino triad with a terminal deletion 7q35→qter *M Masuno, K Imaizumi, N Aida, Y Tanaka, K-I Sekido, Y Ohhama, T Nishi, Y Kuroki* 877
Amelia, dextrocardia, asplenia, and congenital short bowel in deleted ring chromosome 4 *J W Hou, T R Wang* 879
Megalocornea-mental retardation syndrome: report of a new case *I Barišić, I Ligutić, L Zergollern* 882
Two sisters with a syndrome of ocular, skeletal, and abdominal abnormalities (OSA syndrome) *R Mingarelli, A C Scanderbeg, B Dallapiccola* 884

Letter to the Editor
Indirect inguinal hernia among Bedouins *V K Grover, A M A Nur, R Usha, T I Farag, M A Sabry* 887

Book reviews 887

Notice to contributors 888

No 11 November 1996

Original articles
Pancreatic adenocarcinoma: epidemiology and genetics *T Y Flanders, W D Foulkes* 889
Linkage and association of the HLA gene complex with IDDM in 81 Danish families: strong linkage between DRβ1^{Lys71+} and IDDM *M Zamani, F Pociot, M Spaepen, P Raeymaekers, J Nerup, J-J Cassiman* 899
Xp pseudoautosomal gene haploinsufficiency and linear growth deficiency in three girls with chromosome Xp22;Yq11 translocation *M Joseph, E S Cantú, G S Pai, S M Willi, P R Papenhausen, L Weiss* 906
Huntington's disease predictive testing: the case for an assessment approach to requests from adolescents *J Binedell, J R Soldan, J Scourfield, P S Harper* 912
Improved genetic mapping of X linked retinoschisis *N D L George, S J Payne, R M Bill, D E Barton, A T Moore, J R W Yates* 919
Three histopathological types of retinoblastoma and their relation to heredity and age of enucleation *A C Moll, J W Koten, D A E Lindenmayer, L A Everse, K E W P Tan, A Hamburg, J A J Faber, W Den Otter* 923
Rothmund-Thomson syndrome: two case reports show heterogeneous cutaneous abnormalities, an association with genetically programmed ageing changes, and increased chromosomal radiosensitivity *B Kerr, G S Ashcroft, D Scott, M A Horan, M W J Ferguson, D Donnai* 928
Splicing mutations in DMD/BMD detected by RT-PCR/PTT: detection of a 19AA insertion in the cysteine rich domain of dystrophin compatible with BMD *P A M Roest, M Bout, A C van der Tuijn, I B Ginjaar, E Bakker, F B L Hogervorst, G J B van Ommen, J T den Dunnen* 935
An exon skipping mutation of a type V collagen gene (COL5A1) in Ehlers-Danlos syndrome *A C Nicholls, J E Oliver, S McCarron, J B Harrison, D S Greenspan, F M Pope* 940
Exclusion of candidate loci and cholesterol biosynthetic abnormalities in familial Pallister-Hall syndrome *L G Biesecker, S Kang, A A Schäffer, M Abbott, R I Kelley, J C Allen, C Clericuzio, T Grebe, A Olney, J M Graham Jr* 947
Der(22)t(11;22) resulting from a paternal de novo translocation, adjacent 1 segregation, and maternal heterodisomy of chromosome 22 *A J Dawson, A J Mears, A E Chudley, T Bech-Hansen, H McDermid* 952

Syndrome of the month
Achondrogenesis type 1B *A Superti-Furga* 957

Short reports
Loss of heterozygosity in tuberous sclerosis hamartomas *T Sepp, J R W Yates, A J Green* 962
The phenotypic features of osteogenesis imperfecta resulting from a mutation of the carboxyl-terminal proα1(I) propeptide that impairs the assembly of type I procollagen and formation of the extracellular matrix *W G Cole, C W Chow, J F Bateman, D O Sillence* 965
Disrupted growth plates and progressive deformities in osteogenesis imperfecta as a result of the substitution of glycine 585 by valine in the α2(I) chain of type I collagen *W G Cole, D Chan, C W Chow, J G Rogers, J F Bateman* 968
An autosomal dominant syndrome of acromegaloid facial appearance and generalised hypertrichosis terminalis *A D Irvine, O M Dolan, D R Hadden, F J Stewart, E A Bingham, N C Nevin* 972

Abstracts
Medical genetics: advances in brief 975

Book reviews 976

No 12 December 1996

Original articles
Cancer families: what risks are they given and do the risks affect management? *E M Rosser, J A Hurst, C J Chapman* 977
Microsatellite instability in early onset and familial colorectal cancer *C Brassett, J A Joyce, N J Froggatt, G Williams, D Furniss, S Walsh, R Miller, D G R Evans, E R Maher* 981
Williams-Beuren syndrome: phenotypic variability and deletions of chromosomes 7, 11, and 22 in a series of 52 patients *C A Joyce, B Zorich, S J Pike, J C K Barber, N R Dennis* 986
Fine mapping of the dyskeratosis congenita locus in Xq28 *S W Knight, T Vulliamy, G L Forni, D Oscier, P J Mason, I Dokal* 993
Refined mapping of a gene for split hand-split foot malformation (SHFM3) on chromosome 10q25 *A Raas-Rothschild, S Manouvrier, M Gonzales, J P Farriaux, S Lyonnet, A Munnich* 996
The $tRNA^{Gln}$ 4336 mitochondrial DNA variant is not a high penetrance mutation which predisposes to dementia before the age of 75 years *C Tysoe, D Robinson, C Brayne, T Dening, E S Paykel, F A Huppert, D C Rubinsztein* 1002
Variable FMR1 gene methylation of large expansions leads to variable phenotype in three males from one fragile X family *B B A de Vries, C C A M Jansen, A A Duits, C Verheij, R Willemsen, J O van Hemel, A M W van den Ouweland, M F Niermeijer, B A Oostra, D J J Halley* 1007
Analysis of parent of origin specific DNA methylation at SNRPN and PW71 in tissues: implication for prenatal diagnosis *T Kubota, S Aradhya, M Macha, A C M Smith, L C Surh, J Satish, M S Verp, H L Nee, A Johnson, S L Christian, D H Ledbetter* 1011
Unexpected HLA haplotype sharing in dizygotic twin pairs discordant for rheumatoid arthritis *D Jawaheer, A J MacGregor, P K Gregersen, A J Silman, W E R Ollier* 1015
Evidence for compound heterozygosity causing mild and severe forms of autosomal recessive spinal muscular atrophy *K Talbot, N Rodrigues, G Bernert, R Bittner, K Davies* 1019
A general method for the detection of large CAG repeat expansions by fluorescent PCR *J P Warner, L H Barron, D Goudie, K Kelly, D Dow, D R Fitzpatrick, D J H Brock* 1022
Identification of carriers of Duchenne/Becker muscular dystrophy by a novel method based on detection of junction fragments in the dystrophin gene *H Yamagishi, S Kato, Y Hiraishi, T Ishihara, J Hata, N Matsuo, T Takano* 1027

Hypothesis
Lay understanding of genetics: a test of a hypothesis *M Richards, M Ponder* 1032

Syndrome of the month
Pendred syndrome *W Reardon, R C Trembath* 1037

Short reports
Rapid diagnostic test for the major mutation underlying Batten disease *I Järvelä, H M Mitchison, P B Munroe, A M O'Rawe, S E Mole, A-C Syvänen* 1041
Exclusion of one pedigree affected by adult onset primary open angle glaucoma from linkage to the juvenile glaucoma locus on chromosome 1q21–q31 *D Avramopoulos, G Kitsos, E Economou-Petersen, M Grigoriadou, D Vassilopoulos, C Papageorgiou, K Psilas, M B Petersen* 1043
Molecular cytogenetic characterisation of the first familial case of partial 9p duplication (p22p24) *B R Haddad, A E Lin, H Wyandt, A Milunsky* 1045
Dejerine-Sottas disease with sensorineural hearing loss, nystagmus, and peripheral facial nerve weakness: de novo dominant point mutation of the PMP22 gene *V V Ionasescu, C Searby, S A Greenberg* 1048

Abstracts
Medical genetics: advances in brief 1050

Letters to the Editor
Marfan syndrome *G Galasko* 1051
Selection for presymptomatic testing for Huntington's disease: who decides? A reply from the Victorian Clinical Genetics Service, Murdoch Institute, Melbourne, Australia *S Mansie, L Sheffield, S Forrest, E Chiu, J Lloyd* 1051
Heterotaxia syndromes and 22q11 deletion *B Marino, M C Digilio, A Giannotti, B Dallapiccola* 1052
First report of three cystic fibrosis patients homozygous for the 1717–1G→A mutation *R Padoan, A Giunta, M T Marzano, M Seia, V Raia, M Ferrari, L Cremonesi* 1052

Book reviews 1054

Notices 1055

Referees 1995/1996 1056

Index 1057